

24-hour TSP Monitoring Results at Station AM1A (Fan Sin Temple, 3 Sheung Wun Yiu G/F)

Date	Weather Condition	Air Temp. (°C)	Atmospheric Pressure(hPa)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Filter Weight (g)		Particulate weight(g)	Elapse Time		Sampling Time(hrs.)	Conc. (µg/m ³)
				Initial	Final			Initial	Final		Initial	Final		
28-Apr-14	Sunny	25.4	1013.5	1.33	1.33	1.33	1916.6	2.7326	2.8809	0.1483	20859.46	20883.46	24.00	77.4

24-hour TSP Monitoring Results at Station AM2 (12 Shan Tong New Village G/F)

Date	Weather Condition	Air Temp. (°C)	Atmospheric Pressure(hPa)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Filter Weight (g)		Particulate weight(g)	Elapse Time		Sampling Time(hrs.)	Conc. (µg/m ³)
				Initial	Final			Initial	Final		Initial	Final		
28-Apr-14	Sunny	25.4	1013.5	1.34	1.34	1.34	1925.3	2.7262	2.8065	0.0803	17431.12	17455.12	24.00	41.7

24-hour TSP Monitoring Results at Station AM3 (Roof of Switch Room at Riverain Bayside)

Date	Weather Condition	Air Temp. (°C)	Atmospheric Pressure(hPa)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Filter Weight (g)		Particulate weight(g)	Elapse Time		Sampling Time(hrs.)	Conc. (µg/m ³)
				Initial	Final			Initial	Final		Initial	Final		
28-Apr-14	Sunny	25.4	1013.5	1.33	1.33	1.33	1921.0	2.7304	2.8403	0.1099	21260.59	21284.59	24.00	57.2

24-hour TSP Monitoring Results at Station AM4A (Roof of Switch Room at 168 Shek Kwu Lung Village)

Date	Weather Condition	Air Temp. (°C)	Atmospheric Pressure(hPa)	Flow Rate (m ³ /min.)		Av. flow (m ³ /min)	Total vol. (m ³)	Filter Weight (g)		Particulate weight(g)	Elapse Time		Sampling Time(hrs.)	Conc. (µg/m ³)
				Initial	Final			Initial	Final		Initial	Final		
28-Apr-14	Sunny	25.4	1013.5	1.33	1.33	1.33	1918.1	2.7081	2.8074	0.0993	17290.36	17314.36	24.00	51.8